	Hits	Search Text	DBs
1	2	("5987069", "6167095").pn.	USPAT
2	0	dsl and (sliding adj window) and noise and (crosstalk or cross-talk or xtalk or xtalk or xtalk or (x adj talk) or (cross adj talk)) and timing and (@ad<"19980526")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	27	dsl and (sliding adj window)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	0	dsl and (sliding adj window) and (crosstalk or cross-talk or xtalk or x-talk or (x adj talk) or (cross adj talk)) and (@ad<"19980526")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	4	dsl and (sliding adj window) and (@ad<"19980526")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	4	dsl and ((sliding or slide) adj window) and (@ad<"19980526")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	0	ep-0961449-\$.did.	USPAT
8	0	ep-961449-\$.did.	USPAT
9	1	ep-961449-\$.did.	EPO
10	0	"961449".URPN.	USPAT
11	0	"961449".pran.	EPO
12	0	"961449".pran.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	2	"0961449".pran.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	0	ep-961449-\$.pran.	EPO
15	0	ep-961449-\$.pran.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	0	ep-961449-\$.fref.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	3	"961449".fref.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	0	"0961449".fref.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
19	2234	miyoshi.in.	US-PGPUB; USPAT; DERWENT; IBM_TDB
20	15	miyoshi-seiji.in.	US-PGPUB; USPAT; DERWENT; IBM_TDB
21	8	miyoshi-seiji.in. and (dsl or (digital adj subscriber adj line))	US-PGPUB; USPAT; DERWENT; IBM_TDB
22	3	miyoshi-seiji.in. and (dsl or (digital adj subscriber adj line)) and @ad<="19980526"	US-PGPUB; USPAT; DERWENT; IBM_TDB
23	N/A	miyoshi-seiji.in. and (dsl or (digital adj subscriber adj line)) and @ad<"19980526"	US-PGPUB; USPAT; DERWENT; IBM_TDB
24	3	miyoshi-seiji.in. and (dsl or (digital adj subscriber adj line)) and @ad<"19980526"	US-PGPUB; USPAT; DERWENT; IBM_TDB
25	0	miyoshi-seiji.in. and (window) and @ad<="19980526"	US-PGPUB; USPAT; DERWENT; IBM_TDB
26	6	("6393051", "5063574", "6266347").pn.	US-PGPUB; USPAT; DERWENT; IBM_TDB
27	2	("6393051", "5063574", "6266347").pn. and (@ad<"19980526")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	6	("6393051", "5063574", "6266́347").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	9	("5519731" "5668802" "5673290" "5680394" "5757803" "5838667" "5991311" "6069922" "6097763").PN.	USPAT
30	1	ep-966134-\$.did.	EPO
31	15	awata-yutaka.in.	US-PGPUB; USPAT; DERWENT; IBM_TDB
32	0	murata-hiroyasu.in. and (dsl or (digital adj subscriber adj line)) and @ad<"19980526"	US-PGPUB; USPAT; DERWENT; IBM_TDB
33	0	koizumi-nobulkazu.in. and (dsl or (digital adj subscriber adj line)) and @ad<"19980526"	US-PGPUB; USPAT; DERWENT; IBM_TDB
34	0	sasaki-takashi.in. and (dsl or (digital adj subscriber adj line)) and @ad<"19980526"	US-PGPUB; USPAT; DERWENT; IBM_TDB

	Hits	Search Text	DBs
35	7	awata-yutaka.in. and (dsl or (digital adj subscriber adj line)) and @ad<"19980526"	US-PGPUB; USPAT; DERWENT; IBM_TDB
36	1	(time adj compression adj modulation) and isdn and (dsl or (digital adj subscriber adj line)) and @ad<="19980526"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	0	(time adj compression adj modulation) and isdn and (dsl or (digital adj subscriber adj line)) and window and @ad<="19980526"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	9	(tcm or (time adj compression adj modulation)) and isdn and window and @ad<="19980526"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
39	1	(tcm or (time adj compression adj modulation)) and isdn and (sliding adj (window or windows)) and @ad<="19980526"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	1	(tcm or (time adj compression adj modulation)) and isdn and (sliding adj (window or windows)) and timing and @ad<="19980526"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	0	(tcm or (time adj compression adj modulation)) and isdn and (sliding adj (window or windows)) and timing and dsl and @ad<="19980526"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
42	33	(sliding adj window) and (crosstalk or cross-talk or xtalk or x-talk or (x adj talk) or (cross adj talk)) and (@ad<"19980526")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	1	("6307889").pn.	USPAT
44	12	dsl and snr and NEXT and FEXT and bit and (@ad<"19980526")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
45	o	(375/219 or 375/220 or 375/254 or 375/257 or 375/295 or 375/296 or 375/316 or 375/346 or 375/259 or 375/285).ccls. and dsl and (sliding adj window) and noise and (crosstalk or cross-talk or xtalk or x-talk or (x adj talk) or (cross adj talk)) and timing and (@ad<"19980526")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
46	9	(tcm or (time adj compression adj modulation)) and isdn and window and @ad<="19980526"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
47	4	(dmt with next with fext) and @ad<="19980526"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
48	0	(dmt same next same fext same noise same signal) and @ad<"19980526"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
49	1	(dmt same next same fext same noise) and @ad<"19980526"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
50	3	(dmt same next same fext) and @ad<"19980526"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
51	40	(dmt same (cross?talk or crosstalk)) and @ad<"19980526"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
52	13	(dmt same ((cross?talk or crosstalk) with ("near" or far))) and @ad<"19980526"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
53	11	("5479447" "5519731" "5521949" "5668802" "5673290" "5680394" "5887032" "5970088" "6009122" "6014412" "6044107").PN.	USPAT
54	8	((noise adj ratio) with (inside and outside)) and (@ad<"19980526")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
55	73	((noise adj ratio) with (slot)) and (@ad<"19980526")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
56	67	((signal near2 noise near2 ratio) with (slot)) and (@ad<"19980526")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
57	1544	l .	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
58	11	(signal near2 noise near2 ratio) and ((noise and signal) adj (slot or period)) and (@ad<"19980526")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
59	9	"5991311".URPN.	USPAT

	Hits	Search Text	DBs
60	3	("5410343" "5831979" "5848141").PN.	USPAT
61	2	"6574282".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
62	0	"6574282".URPN.	USPAT
63	4	("5479447" "5774500" "6005893" "6035000").PN.	USPAT
64	16	(US-5982901-\$ or US-5119403-\$ or US-6393051-\$ or US-6266347-\$ or US-5668802-\$ or US-6069922-\$ or US-5680394-\$ or US-5991311-\$ or US-5367540-\$ or US-5375147-\$ or US-6307889-\$ or US-5887032-\$ or US-6144695-\$ or US-6449316-\$).did. or (EP-961449-\$ or EP-966134-\$).did.	USPAT; EPO
65	12	((US-5982901-\$ or US-5119403-\$ or US-6393051-\$ or US-6266347-\$ or US-5668802-\$ or US-6069922-\$ or US-5680394-\$ or US-5991311-\$ or US-5367540-\$ or US-5375147-\$ or US-6307889-\$ or US-5887032-\$ or US-6144695-\$ or US-6449316-\$).did. or (EP-961449-\$ or EP-966134-\$).did.) and ("s/n" or (signal\$5 near2 noise\$5) or ratio\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
66	8	((US-5982901-\$ or US-5119403-\$ or US-6393051-\$ or US-6266347-\$ or US-5668802-\$ or US-6069922-\$ or US-5680394-\$ or US-5991311-\$ or US-5367540-\$ or US-5375147-\$ or US-6307889-\$ or US-5887032-\$ or US-6144695-\$ or US-6449316-\$).did. or (EP-961449-\$ or EP-966134-\$).did.) and ("s/n" or (signal\$5 near2 noise\$5) or ratio\$5) and (@ad<"19980526")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
67	10469	measur\$5 with ("s/n" or (signal\$5 near2 noise\$5) or snr) and (@ad<"19980526")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
68	17	(measur\$5 with ("s/n" or (signal\$5 near2 noise\$5) or snr)) and next and fext and (@ad<"19980526")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
69	14	((measur\$5 or determin\$5) near2 ("s/n" or (signal\$5 near2 noise\$5) or snr)) and next and fext and (@ad<"19980526")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
70	12	(bit\$2 with transmit\$5 with (snr or "s/n")) and next and fext and (@ad<"19980526")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
71	9	(bit\$2 with transmit\$5 with (snr or "s/n")) and next and fext and xdsl and (@ad<"19980526")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
72	18	(bit\$2 with transmit\$5 with (snr or "s/n")) and xdsl and (@ad<"19980526")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
73	9	((bit\$2 with transmit\$5 with (snr or "s/n")) and xdsl and (@ad<"19980526")) not ((bit\$2 with transmit\$5 with (snr or "s/n")) and next and fext and xdsl and (@ad<"19980526"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
74	2	"6009122".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
75	11	(("6009122") or ("6144695") or ("6229855") or ("5982784") or ("5400322") or ("6134283") or ("5627863") or ("5887032") or ("5982901") or ("5991311") or ("6574282")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
76	0	fext and (inver\$5 with sync\$5 with symbol\$5) and (@ad<"19980526")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
77	1	((inver\$5 with sync\$5 with symbol\$5) and (@ad<"19980526")) and ?dsl	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
78	0	((inver\$5 with sync\$5 with symbol\$5) and (@ad<"19980526")) and *frame*	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
79	22	(inver\$5 with sync\$5 with symbol\$5) and (@ad<"19980526")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
ВО	13	hyperfram\$5 and (inver\$5 with (symbol\$5 or bit\$5 or fram\$5)) and (@ad<"19980526")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
81	13	(hyperfram\$5 and (inver\$5 with (symbol\$5 or bit\$5 or fram\$5)) and (@ad<"19980526")) not ((inver\$5 with sync\$5 with symbol\$5) and (@ad<"19980526"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
82	1445	(\$frame\$2 or symbol\$5) with (edge\$5 or boundar\$5) with inver\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
83	1070	((\$frame\$2 or symbol\$5) with (edge\$5 or boundar\$5) with inver\$5) and (@ad<"19980526")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
84	0	(((\$frame\$2 or symbol\$5) with (edge\$5 or boundar\$5) with inver\$5) and (@ad<"19980526")) and fext	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
85	312	(((\$frame\$2 or symbol\$5) with (edge\$5 or boundar\$5) with inver\$5) and (@ad<"19980526")) and ((?dsl or next) or crosstalk or xtalk or cross?talk)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
86	9	("5014272" "5136587" "5270714" "5461622" "5517533" "5710774" "5857092" "5887039" "6151312").PN.	USPAT
87	0	((training adj sequence\$2) with fext) and (@ad<"19980526")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
88	0	((train\$5 adj sequenc\$5) with fext) and (@ad<"19980526")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
89	0	((train\$5 with switch\$5) with fext) and (@ad<"19980526")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
90	0	((sequenc\$5 with switch\$5) with fext) and (@ad<"19980526")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
91	9	(train\$5 with sequenc\$5 with switch\$5) and ?dsl and (@ad<"19980526")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
92	0	and (?qsi or text) and (@aq<"1998U526")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
93	0	(inver\$5 with boundar\$5) and (?dsl or fext) and (@ad<"19980526")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
94	1989	(inver\$5 with boundar\$5) and (@ad<"19980526")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
95	56	(inver\$5 with boundar\$5 with frame) and (@ad<"19980526")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
96	58	(inver\$5 with boundar\$5 with fram\$5) and (@ad<"19980526")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
97	536	(train\$5 with sequenc\$5 with switch\$5) and (@ad<"19980526")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
98	38	(train\$5 with sequenc\$5 with switch\$5 with transmi\$7 with rece\$10) and (@ad<"19980526")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
99	0		US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
100	91	switch\$5 with transmi\$7 with rece\$10)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
101	2	((switching or changing) near5 training adj (sequences or sets)) and (@ad<"19980526")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
102	1	JP-60157350-\$.did.	JPO
103	1	JP-02109436-\$.did.	JPO
104	0	JP-10503893-\$.did.	JPO
105	1	JP-09008770-\$.did.	JPO
106	1	wo-9534149-\$.did.	EPO
107	0	jp-11313043-\$.did.	JPO
108	1	jp-10303872-\$.did.	JPO
109	1	jp-11168515-\$.did.	JPO
110	0	jp-10502511-\$.did.	JPO
111	1	jp-11289309-\$.did.	JPO
112	0	jp-11355183-\$.did.	JPO
113	1	jp-08172671-\$.did.	JPO
114	1	jp-08088626-\$.did.	JPO
115	1	"5400322".pn.	USPAT
116	1	"6574282".pn.	USPAT
117	1	"5627863".pn.	USPAT
118	1	"6134283".pn.	USPAT

	Hits	Search Text	DBs
119	13	JP-60157350-\$.did. or JP-02109436- \$.did. or JP-09008770-\$.did. or wo- 9534149-\$.did. or jp-10303872-\$.did. or jp-11168515-\$.did. or jp-11289309-\$.did. or jp-08172671-\$.did. or jp-08088626- \$.did. or "5400322".pn. or "6574282".pn. or "5627863".pn. or "6134283".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
120	2	"6009122".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
121	2	"5991311".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
122	2	"6510184".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
123	0	jp-2000514991-\$.did.	EPO; JPO
124	1	jp-61218240-\$.did.	EPO; JPO
125	1	jp-2000032096-\$.did.	EPO; JPO
126	0	jp-11341153-\$.did.	EPO; JPO
127	1	wo-9953679-\$.did.	EPO; JPO
128	0	jp-2002519886-\$.did.	EPO; JPO
129	1	wo-9967890-\$.did.	EPO; JPO
130	0	jp-11331106-\$.did.	EPO; JPO
131	1	jp-11163307-\$.did.	EPO; JPO
132	0	jp-1056486-\$.did.	EPO; JPO
133	0	jp-2002500855-\$.did.	EPO; JPO
134	1	wo-9950967-\$.did.	EPO; JPO
135	0	jp-1126165-\$.did.	EPO; JPO
136	1	wo-9935756-\$.did.	EPO; JPO
137	1	jp-2000078105-\$.did.	EPO; JPO
138	14	"6009122".pn. or "5991311".pn. or "6510184".pn. or jp-61218240-\$.did. or jp-2000032096-\$.did. or wo-9953679-\$.did. or wo-9967890-\$.did. or jp-11163307-\$.did. or wo-9950967-\$.did. or wo-9935756-\$.did. or jp-2000078105-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
		(375/219 or 375/220 or 375/254 or	
		375/257 or 375/295 or 375/296 or	US-PGPUB; USPAT;
139	1	375/316 or 375/346 or 375/259 or	EPO; JPO; DERWENT;
		375/285).ccls. and (dmt with next with fext) and @ad<"19980526"	IBM_TDB
		(375/219 or 375/220 or 375/254 or	
		375/257 or 375/295 or 375/296 or	US-PGPUB; USPAT;
140	0	375/316 or 375/346 or 375/259 or	EPO; JPO; DERWENT;
		375/285).ccls. and (dmt with next with fext) and "2760" and @ad<"19980526"	IBM_TDB
		(375/219 or 375/220 or 375/254 or	
		375/257 or 375/295 or 375/296 or	US-PGPUB; USPAT;
141	1	375/316 or 375/346 or 375/259 or	EPO; JPO; DERWENT;
		375/285).ccls. and (dmt with next with fext) and @ad<"19980526"	IBM_TDB
			US-PGPUB; USPAT;
142	2	"5774450".pn.	EPO; JPO; DERWENT; IBM_TDB
			US-PGPUB; USPAT;
143	2	wo-9703506-\$.did.	EPO; JPO; DERWENT; IBM_TDB
			US-PGPUB; USPAT;
144	2	jp-08251135-\$.did.	EPO; JPO; DERWENT; IBM_TDB
			US-PGPUB; USPAT;
145	1	jp-01065644-\$.did.	EPO; JPO; DERWENT; IBM_TDB
			US-PGPUB; USPAT;
146	2	jp-10065644-\$.did.	EPO; JPO; DERWENT; IBM_TDB